

 鸿新新能源						HXKJ-Q-QPJS-016			
			/	A3		3		1	6

		/		/	/	/
--	--	---	--	---	---	---

A3 2023. 7. 22



 鸿新新能源						HXKJ-Q-QPJS-016			
			/	A3		3		2	6

4.1

4.2

5.1

100-200

	A	A-	B	C
TTV	2 um	um	50um	80um
	1 um	um	30um	60um

D

$90 \pm 0.15^{\circ}$

$90 \pm 0.15^{\circ}$

$90 \pm 0.2^{\circ}$

$90 \pm 0.3^{\circ}$

0.5mm



5

10

1/4

5.2

5.2.1




1 \*1

	A	A-	B	C
A	182± 0. 5mm	182± 0. 5mm	182± 0.5mm	182± 1mm
B	247± 0.25mm	247± 0.25mm	247± 0.5mm	247± 1mm
C	7.51± 0. mm	7.51± 0.5mm	7.51± 0.5mm	7.51± 1 mm

182. \*182.


	A	A-	B	C
A	182. ± 0. 5mm	182. ± 0. 5mm	182. ± 0.5mm	182. ± 1mm
B	247± 0.25mm	247± 0.25mm	247± 0.5mm	247± 1mm
C	7. ± 0. mm	7. ± 0.5mm	7. ± 0.5 mm	7.51± 1 mm

182\*183.75

 鸿新新能源						HXKJ-Q-QPJS-016	
		/	A3		3		4 6

	A	A-	B	C
	182± 0.25mm	182± 0.25mm	0.245A-i1	#BnÓ 2cG^í2í3 '), -g\$•\$v Ô^# ž*í4182±0.25mm
A	183.75± 0.25mm	K^Eé Ö	8	3 . 7 5



					HXKJ-Q-QPJS-016	
	/	A3		3		6 6

2100-2400		1	
6-7			
5.5.2	LOGO	LOGO	
5.6			
5.7	:		
5.7.1			
	“	”	

